

# Eni i-Ride racing 5W-40



## APPLICATIONS

**Eni i-Ride racing 5W-40** is an innovative lubricant with a top synthetic formula, developed by Eni's research to meet the requirements of 4-stroke high performance engines. The product formulation has been developed to ensure the best performance even under higher mechanical and thermal stress conditions to which motorcycle engines are subjected.

## CUSTOMER ADVANTAGES

- **Eni i-Ride racing 5W-40** with its particular additivation is able to guarantee a good engine detergent, in particular it has characteristics that allow efficient control of the formation of deposits areas submitted to high temperature.
- The adoption of an innovative formulation technology makes it possible to enhance the engine performance in all operating conditions.
- The product effectively counteracts wear phenomena that may occur in engines submitted to higher stresses.

## SPECIFICATIONS - APPROVALS

- API SL
- JASO MA, MA2



# Eni i-Ride racing 5W-40



## CHARACTERISTICS

Properties	Method	Unit	Typical
Density at 15°C	ASTM D 4052	kg/m <sup>3</sup>	854
Viscosity at 100°C	ASTM D 445	mm <sup>2</sup> /s	13.6
Viscosity at 40°C	ASTM D 445	mm <sup>2</sup> /s	85
Viscosity Index	ASTM D 2270	-	164
Viscosity at -30°C	ASTM D 5293	mPa·s	6300
Flash point	ASTM D 92	°C	232
Pour point	ASTM D 97	°C	-36

