

# Eni i-Sint tech M 5W-30



## APPLICATIONS

**Eni i-Sint tech M 5W-30** is a lubricating oil with 'synthetic technology' formula, suitable for use in Mazda cars.

For its performance levels, **Eni i-Sint tech M 5W-30** is also suitable for use in JLR (Jaguar Land Rover) vehicles.

## CUSTOMER ADVANTAGES

- The viscosimetric properties of **Eni i-Sint tech M 5W-30** facilitate engine starts at low temperatures, helping to reduce fuel consumption resulting in a reduction of carbon dioxide (CO<sub>2</sub>) emissions at the vehicle exhaust.
- The presence of low volatility components in the formulation and high thermal stability helps limiting the effects of oil consumption.
- The raw materials included in the formulation of **Eni i-Sint tech M 5W-30** have been selected to provide the product with excellent protection against wear phenomena and formation of deposits.

## SPECIFICATIONS - APPROVALS

- ACEA C1,C2
- JLR.03.5005
- FORD 934-B



# Eni i-Sint tech M 5W-30



## CHARACTERISTICS

Properties	Method	Unit	Typical
Density at 15°C	ASTM D 4052	kg/m <sup>3</sup>	850
Viscosity at 100°C	ASTM D 445	mm <sup>2</sup> /s	11.2
Viscosity at 40°C	ASTM D 445	mm <sup>2</sup> /s	67.2
Viscosity Index	ASTM D 2270	-	160
Viscosity at -30°C	ASTM D 5293	mPa·s	6400
Flash point (COC)	ASTM D 92	°C	210
Pour point	ASTM D 97	°C	-33

