

Bag filter housing

POLYPROPYLENE - BAG FILTER HOUSINGS

FILTRO BAGONE-3RS

[Link to PDF Drawing](#)

 [//www.everblue.it/CadDrawings/F20170623093214125FBO3RSPP060319_1.pdf](http://www.everblue.it/CadDrawings/F20170623093214125FBO3RSPP060319_1.pdf)

FEATURES

Model	FILTRO BAGONE-3RS
Material	PP
In/Out	DN 125 FLANGE DN8063 PN16

DESIGN DATA

Max working pressure	6 bar
Hydraulic test pressure	9 bar
Burst pressure	20 bar
Max working temperature	40°C
Life test	100.000 cycles from 0 to 10 bar

BAGS

N° bags	3
Ring diameter	06 Diam. 6" (155 mm)
Height	19" (480 mm)
Diametro interno minimo/massimo	141 mm / 146 mm
Outer diameter	155 mm



SI

RING TYPE

SI6 Internal ring	155 mm
-------------------	--------

APPLICATIONS

Water
Sea water

Code	Description	Specs, colors and particular finishing	In/Out	Bag's end cap	Quantity box	-
FBO3RSPP060319	FILTRO BAGONE-3RS 3x19"		DN 125 FLANGE DN8063 PN16	06	1	

Bag filter housing POLYPROPYLENE - BAG FILTER HOUSINGS FILTRO BAGONE-3RS

HOUSINGS CODE LIST

Model		Material		Ring diameter		N° bags		Bags height		Specs and finishing	
FB03RS		PP	PP	06 Diam. 6" (155 mm)	06	3	03	19" (480 mm)	19		



Approximate picture. End caps and height's choice will lead to the assembly of a product which could differ from those shown in figure



European Community members only.

These filters satisfy all requirements of the European Directives for Pressure Equipment (P.E.D.) 97/23/EC, following module A (internal production control) as conformity assessment procedure.